Notice of Allowability	Application No.	Applicant(s)	
	10/646,384	PURCELL, RICKY W.	
	Examiner	Art Unit	
	Roy D. Gibson	3739	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to telecon of 2/28/2006.			
2. The allowed claim(s) is/are <u>16,18,22 and 25-27</u> .			
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 			
THIS THREE-MONTH PERIÓĎ-IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 反 Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/C		Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	8. Examiner's Statement of Reasons for Allowance	
of Biological Material	9.		
		Roy D. Gibson Primary Examiner Art Unit: 3739	

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andrew Peret on Feb. 28, 2006.

The application has been amended as follows:

claims 1, 3, 5, 6 and 8-15 have been cancelled;

in claim 16, in line 3, - - directly - - has been inserted after "patch"; and in claim 25, in lines 4 and 5, "is attached to" is changed to - - directly engages - -.

The following is an examiner's statement of reasons for allowance:

None of the prior art of record discloses or suggests a method of providing therapy to the body in which the reflective layer directly engages or touches the patient's body. In contrast, the prior art discloses placing the heat patch with the reflective layer away from direct engagement with the patient's body and above the internal heat source to permit the heat radiated from the internal heat source to be reflected back toward the heat source.

Page 3 Application/Control Number: 10/646,384

Art Unit: 3739

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roy D. Gibson whose telephone number is 571-272-4767. The examiner can normally be reached on Tu-Th, 7:30 am-4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda Dvorak can be reached on 571-272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Roy D. Gibson Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner Art Unit 3739

February 28, 2006